Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. The project will be completed under the County Maintenance Program.

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ 0.70 ft. a1,423.50

Item # 2 -*All landowners who request no leveling must be in (Equipment & Labor) Haul spoil from house lots and level all excavated material along the ditch to a maximum depth of six inches.

contact with the Engineer's Office before approval

30,605 lineal feet of leveling @ \$ 0.10 ft.

3,060.50

Item #3 Clearing consisting of removal of trees, brush, all brush for landowners disposal. (Equipment & Labor) stumps, snags and debris from the construction side only. construction may be saved upon landowners request. Pile (One Sided) Isolated trees that would not impede the

Clearing & Piling Brush – Lump Sum

8,000.

Item #4-Clean material out of all pipes and bridges. upon the Engineer's Office. (Equipment & Labor) sum price. Every pipe cleaning will have a separate lump Final inspection and approval will be

11910 Properties – (40Ft. of (2) 24" Plastic Pipes)

\$

350.

8

350.

Road 16 Pipe – (40 Ft. of 84" R.C.P. Plastic)

Road 15-C Pipe - (48 Ft. of 78" R.C.P.)

Road 16-C Pipe - (40 Ft. 108" R.C.P.)

Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal)

SR 613 Bridge – (35 Ft. of Bridge)

Kahle/Verhoff – (12 Ft. of Bridge)

Rail Road Bridge – (40 Ft. of Bridge)

Road E-16 Bridge – (32 Ft. of Bridge)

St. Rt. 15 Bridge – (35 Ft. of Bridge)

Road 18 Bridge – (40 Ft. of Bridge)

Road 19 Bridge – (38 Ft. of Bridge)

\$ \$ \$ \$ 8 8 . S \$ **⇔** 500. 500. 350. 500. 500, 350. 350. 500. 300. 3 1,750

Item # 5 Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated material to a minimum of 6 inches.

*Number of hours for silt bar and log jam removal may increase or decrease. Quoted price per hour will be used.

(Equipment & Labor)

(20) Hrs Log Jam Removal - Price per hour

TOTAL QUOTE

total 40,534

> S SIGNATURE: とたが

190

DATE:

2-

8-19

T JENNINGS APO PHONE: 419-286-2458

The completion date for this project is April 30th, 2019

required. The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit

need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. – See "Information to bidders for petition ditches" sheet attached along with this quote. After the County Engineer awards the lowest and best quote, a contract will

South Powell Creek #790
Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ と Æ.

Item # 2 along the ditch to a maximum depth of six inches. (Equipment & Labor)

*All landowners who Haul spoil from house lots and level all excavated material contact with the En

30,605 lineal feet of le 16,832.75

15, 302.50

stumps, snags and (One Sided) Isolaticonstruction may L all brush for landowners disposal. (Equipment & Labor) only. Pile

Item # 3 -

Clearing consisting

Clearing & Piling Brush – Lump Sum

=\$ 28,000.00

Item #4 Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

Road 19 Bridge – (38 Ft. of Bridge)	Road 18 Bridge - (40 Ft. of Bridge)	St. Rt. 15 Bridge – (35 Ft. of Bridge)	Road E-16 Bridge - (32 Ft. of Bridge)	Rail Road Bridge - (40 Ft. of Bridge)	Kahle/Verhoff – (12 Ft. of Bridge)	SR 613 Bridge – (35 Ft. of Bridge)	Darwin Verhoff Pipe - (45 Ft. of 108" Corrugated Metal)	Road 16-C Pipe - (40 Ft. 108" R.C.P.)	Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)	Road 15-C Pipe – (48 Ft. of 78" R.C.P.)	11910 Properties – (40Ft. of (2) 24" Plastic Pipes)
=\$ 450.00	=\$ 450.00	=\$ 450.00	=\$ 450.00	=\$ 450.00	=\$ 300.00	=\$ 450.00	=\$ 500.00	=\$ 500.00	=\$ 500.00	=\$ 550.00	=\$ 550.00
		2250			į	750		1500			3

Item # 5 -Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated (Equipment & Labor) *Number of hours for silt bar and log jam removal may increase material to a minimum of 6 inches. or decrease. Quoted price per hour will be used.

(20) Hrs Log Jam Removal - Price per hour

TOTAL QUOTE 76,886.25

CONTRACTORS SIGNATURE:

ADDRESS: 682 7K107

DATE:

からん

Mclomb, Ohio PHONE:

The completion date for this project is April 30th, 2019

required. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit The County Engineer reserves the right to non-perform bidded items.

After the County Engineer awards the lowest and best quote, a contract will need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to bidders for petition ditches" sheet attached along with this quote.

Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 – Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$. 65 /ft.

19,893,25

Item # 2 – Haul spoil from house lots and level all excavated material along the ditch to a maximum depth of six inches.

(Equipment & Labor)

*All landowners who request no leveling must be in contact with the Engineer's Office before approval.

30,605 lineal feet of leveling @ \$. 42



Item # 3 – Clearing consisting of removal of trees, brush, stumps, snags and debris from the construction side only. (One Sided) Isolated trees that would not impede the construction may be saved upon landowners request. Pile all brush for landowners disposal. (Equipment & Labor)

Clearing & Piling Brush – Lump Sum

=\$ 8500

Item # 4 – Clean material out of all pipes and bridges.

Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

11910 Properties – (40Ft. of (2) 24" Plastic Pipes)

Road 15-C Pipe - (48 Ft. of 78" R.C.P.)

Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)

Road 16-C Pipe - (40 Ft. 108" R.C.P.)

Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal)

SR 613 Bridge – (35 Ft. of Bridge)

Kahle/Verhoff – (12 Ft. of Bridge)

Rail Road Bridge - (40 Ft. of Bridge)

Road E-16 Bridge - (32 Ft. of Bridge)

<u>St. Rt. 15 Bridge</u> – (35 Ft. of Bridge)

Road 18 Bridge – (40 Ft. of Bridge)

Road 19 Bridge – (38 Ft. of Bridge)

\$ \$ \$ <u>\$</u> 8 = <u>.</u>= \$ \$ 425 550 575 480 984 250 00 h 436 420 480 98h 975 1055 OHB 730 960 960

Item # 5 – Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated material to a minimum of 6 inches.

*Number of hours for silt bar and log jam removal may increase or decrease. Quoted price per hour will be used.

(Equipment & Labor)

(20) Hrs Log Jam Removal – Price per hour

TOTAL ATOUD,

CONTRACTORS SIGNATURE:

NWO Property Services LLC 3939 North West St. Lima Oh. 45801

ADDRESS:

DATE:

PHONE: DIA

-615 n

The completion date for this project is April 30th, 2019.

The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit required.

Note

need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. – See "Information to bidders for petition ditches" sheet attached along with this quote. After the County Engineer awards the lowest and best quote, a contract will

Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 - Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ 1.10 ft.

Item #2 - Haul spoil from house lots and level all excavated material *All landowners who request no leveling must be in contact with the Engineer's Office before approval (Equipment & Labor) along the ditch to a maximum depth of six inches.

30,605 lineal feet of leveling @ \$_ 24.

7651.25

Item#3 Clearing consisting of removal of trees, brush, all brush for landowners disposal. (Equipment & Labor) construction may be saved upon landowners request. Pile (One Sided) Isolated trees that would not impede the stumps, snags and debris from the construction side only.

Clearing & Piling Brush – Lump Sum

\$ 8000,00

Item #4-Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

Road 16-C Pipe – (40 Ft. 108" R.C.P.)	Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)	Road 15-C Pipe - (48 Ft. of 78" R.C.P.)	11910 Properties – (40Ft. of (2) 24" Plastic Pipes)	
=\$ /00.00	=\$ 100,00	=\$ /00,00	=\$ 200.00	

SR 613 Bridge - (35 Ft. of Bridge) Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal) Kahle/Verhoff - (12 Ft. of Bridge) \$ \$ 400,00 100.00 460

St. Rt. 15 Bridge - (35 Ft. of Bridge) Rail Road Bridge - (40 Ft. of Bridge) Road 19 Bridge - (38 Ft. of Bridge) Road 18 Bridge - (40 Ft. of Bridge) Road E-16 Bridge - (32 Ft. of Bridge) \$ 8 2 8 400. 450.00 400.00 400.00 400.00 100.00 00 2000

8

Item # 5 -Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated *Number of hours for silt bar and log jam removal may increase material to a minimum of 6 inches.

or decrease. Quoted price per hour will be used (Equipment & Labor)

(20) Hrs Log Jam Removal - Price per hour

50.00

ADD CO 55,406.75 Y LUM LER 70 TOTAL QUOTE 8 PHONE: DATE: 419-278 12-9-406.75

required. The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a scaled envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit

After the County Engineer awards the lowest and best quote, a contract will need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to bidders for petition ditches" sheet attached along with this quote.

Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ 1.18 ft.

36,113.90

8

Item # 2 -(Equipment & Labor)
*All landowners who r contact with the Engineer's Office before approval along the ditch to a maximum depth of six inches. Haul spoil from house lots and level all excavated material landowners who request no leveling must be in

30,605 lineal feet of leveling @ \$ 0.5 9

Item # 3 stumps, snags and debris from the construction side only. (One Sided) Isolated trees that would not impede the construction may be saved upon landowners request. Pile Clearing consisting of removal of trees, brush, all brush for landowners disposal. (Equipment & Labor)

Clearing & Piling Brush – Lump Sum

Item # 4 -

Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic) Road 15-C Pipe - (48 Ft. of 78" R.C.P.) 11910 Properties – (40Ft. of (2) 24" Plastic Pipes) Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor) \$ 8 <u>\$</u> 8 500

SR 613 Bridge – (35 Ft. of Bridge) Kahle/Verhoff - (12 Ft. of Bridge) Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal) Road 16-C Pipe - (40 Ft. 108" R.C.P.) 8 \$ \$ **8** 500 1000 500 ,000 2000

Road E-16 Bridge – (32 Ft. of Bridge) Rail Road Bridge - (40 Ft. of Bridge) Road 19 Bridge – (38 Ft. of Bridge) Road 18 Bridge – (40 Ft. of Bridge) Rt. 15 Bridge – (35 Ft. of Bridge) 8 \$ \$ \$ 500 500 500 500 500

3500

Item # 5 – Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated material to a minimum of 6 inches.

*Number of hours for silt bar and log jam removal may increase

Quoted price per hour will be used.

(Equipment & Labor)

(20) Hrs Log Jam Removal – Price per hour 4/50

TOTAL QUOTE

ADDRESS: CONTRACTORS SIGNATURE:/ 19782 ARCHBOLD 2 4350 PHONE: DATE: 419572

The completion date for this project is April 30th, 2019

The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit

bidders for petition ditches" sheet attached along with this quote. need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to After the County Engineer awards the lowest and best quote, a contract will

Palmer & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

project will be completed under the County Maintenance Program. I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the South Powell Creek #790. This

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ o () /n.



Item #2 - Haul spoil from house lots and level all excavated material along the ditch to a maximum depth of six inches. (Equipment & Labor)

*All landowners who request no leveling must be in contact with the Engineer's Office before approval

30,605 lineal feet of leveling @ \$ _____ ft.



Item #3 all brush for landowners disposal. (Equipment & Labor) construction may be saved upon landowners request. Pile stumps, snags and debris from the construction side o (One Sided) Isolated trees that would not impede the Clearing consisting of removal of trees, brush, stumps, snags and debris from the construction side only.

Clearing & Piling Brush - Lump Sum

Item # 4 Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

11910 Properties - (40Ft. of (2) 24" Plastic Pipes)

Road 15-C Pipe - (48 Ft. of 78" R.C.P.)

Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)

Road 16-C Pipe - (40 Ft. 108" R.C.P.)

Darwin Verhoff Pipe - (45 Ft. of 108" Corrugated Metal)

SR 613 Bridge - (35 Ft. of Bridge)

Kahle/Verhoff - (12 Ft. of Bridge)

Rail Road Bridge - (40 Ft. of Bridge)

Road E-16 Bridge - (32 Ft. of Bridge)

Road 18 Bridge - (40 Ft. of Bridge) St. Rt. 15 Bridge - (35 Ft. of Bridge)

Road 19 Bridge - (38 Ft. of Bridge)

1200

Item #5-Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all material to a minimum of 6 inches.

*Number of hours for silt bar and log jam removal may increase or decrease. Quoted price per hour will be used. wooded material for landowner's disposal or level excavated

(Equipment & Labor)

(20) Hrs Log Jam Removal - Price per hour

45, 851.35 U+Tow's 0 000 TOTAL QUOTE =\$ 42,851.35 PHONE: DATE: 419-615-5095 9

The completion date for this project is April 30th, 2019

The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit

need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to bidders for petition ditches" sheet attached along with this quote. After the County Engineer awards the lowest and best quote, a contract will

Palmer South Powell Creek #790 & Monroe Townships, Putnam County Ohio Maintenance Clean Out

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$__ 3 ft. 21 423.50

Item # 2 - Haul spoil from house lots and level all excavated material *All landowners who request no leveling must be in contact with the Engineer's Office before approval. (Equipment & Labor) along the ditch to a maximum depth of six inches.

30,605 lineal feet of leveling @ \$. 20 ft.

> 6 21.00

Item # 3 -(One Sided) Isolated trees that would not impede the construction may be saved upon landowners request. Pile all brush for landowners disposal. (Equipment & Labor) Clearing consisting of removal of trees, brush, stumps, snags and debris from the construction side only.

Clearing & Piling Brush – Lump Sum

Item # 4 -Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

Road 19 Bridge – (38 Ft. of Bridge)	Road 18 Bridge – (40 Ft. of Bridge)	St. Rt. 15 Bridge - (35 Ft. of Bridge)	Road E-16 Bridge – (32 Ft. of Bridge)	Rail Road Bridge – (40 Ft. of Bridge)	Kahle/Verhoff – (12 Ft. of Bridge)	SR 613 Bridge – (35 Ft. of Bridge)	Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal)	Road 16-C Pipe - (40 Ft. 108" R.C.P.)	Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)	Road 15-C Pipe - (48 Ft. of 78" R.C.P.)	<u>11910 Properties</u> – (40Ft. of (2) 24" Plastic Pipes)	
=\$ 1,000,00	=\$4,000.00	=\$ 1,000,00	=\$1,000.00	=\$ 1,000,00	=\$ 600,00 -	=\$ 1000,00	=\$ 700.00	=\$ 600.00	=\$ 600.00 9400	=\$_600,00	=\$ 600,00	
		حی ح	1						0400	· >		

Item #5 Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated material to a minimum of 6 inches.

or decrease. Quoted price per hour will be used. Number of hours for silt bar and log jam removal may increase

(Equipment & Labor)

(20) Hrs Log Jam Removal - Price per hour 150.00 =\$ 3,000,00

TOTAL QUOTE

Sand Ridge Exculating CONTRACTORS SIGNATURE:

ADDRESS: 2025/ RA

Towerdale

682

PHONE: 4/9-576

DATE: N

The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit required.

After the County Engineer awards the lowest and best quote, a contract will need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to bidders for petition ditches" sheet attached along with this quote.

Palmer & Monroe Townships, Putnam Maintenance Clean Out Putnam County Ohio

QUOTE FOR MAINTENANCE

I wish to submit the following quote for furnishing of all labor, materials and equipment to complete the construction of the **South Powell Creek #790**. This project will be completed under the County Maintenance Program.

The work will include:

Item # 1 -Cleanout the open ditch to its original bottom and grade to the full width of the existing channel from the Top End to Road 19. (Equipment & Labor)

30,605 lineal feet of excavation @ \$ 2 7 9 ft.

Item # 2 Haul spoil from house lots and level all excavated material (Equipment & Labor) along the ditch to a maximum depth of six inches.

*All landowners who request no leveling must be in contact with the Engineer's Office before approval. 50

15,302,50

ft.

Item # 3 -30,605 lineal feet of leveling @ \$___ -Clearing consisting of removal of trees, brush,

stumps, snags and debris from the construction side only. (One Sided) Isolated trees that would not impede the construction may be saved upon landowners request. Pile all brush for landowners disposal. (Equipment & Labor)

Clearing & Piling Brush – Lump Sum

080 19

Item# 4 Clean material out of all pipes and bridges. Every pipe cleaning will have a separate lump sum price. Final inspection and approval will be upon the Engineer's Office. (Equipment & Labor)

11910 Properties – (40Ft. of (2) 24" Plastic Pipes)

Road 15-C Pipe -(48 Ft. of 78" R.C.P.)

Road 16 Pipe - (40 Ft. of 84" R.C.P. Plastic)

Road 16-C Pipe - (40 Ft. 108" R.C.P.)

Darwin Verhoff Pipe – (45 Ft. of 108" Corrugated Metal)

SR 613 Bridge – (35 Ft. of Bridge)

Kahle/Verhoff - (12 Ft. of Bridge)

Rail Road Bridge – (40 Ft. of Bridge)

Road E-16 Bridge - (32 Ft. of Bridge)

St. Rt. 15 Bridge – (35 Ft. of Bridge)

Road 18 Bridge - (40 Ft. of Bridge)

Road 19 Bridge - (38 Ft. of Bridge)

												-
S	 		. ⊗	₩	. S	=\$. ⊗	₩	 S	₩	≅	
17/8	1738	1698	1682	1732	9702	1709	1420	140 7	1400	0 841	1400	
		•			ı		I.	9	190			

Item # 5 – Remove log jams and silt bars from the channel bottom from Township Road 19 to Township Road C-20. Pile all wooded material for landowner's disposal or level excavated

material to a minimum of 6 inches.

(Equipment & Labor) *Number of hours for silt bar and log jam removal may increase or decrease. Quoted price per hour will be used.

(20) Hrs Log Jam Removal - Price per hour

TOTAL QUOTE

CONTRACTORS SIGNATURE:

8539

ADDRESS:

24

PHONE: DATE: 419-351-0872 12 U

HArBor 04.043449

The County Engineer reserves the right to non-perform bidded items. Please submit your quote to the Putnam County Engineer, 245 E Main St., Ottawa, Ohio 45875 in a sealed envelope marked "Quote on South Powell Creek #790" by 10:00 A.M. on December 9th, 2019. No bid bond or deposit The completion date for this project is April 30th, 2019.

required.

After the County Engineer awards the lowest and best quote, a contract will need signed in the Engineer's Office before starting. Once signed, there will be a pre-construction meeting before excavation begins. — See "Information to bidders for petition ditches" sheet attached along with this quote.